

N Male Connector Clamp/Solder Attachment for ET-RG59, ET-ET-RG62, ET-RG71



RF Connectors Technical Data Sheet ET10860

Configuration

- N Male Connector
- MIL-STD-348A
- 50 Ohms

- Straight Body Geometry
- ET-RG59, ET-RG62, ET-RG71 Interface Type
- Clamp/Solder Attachment

Features

- Max. Operating Frequency 11 GHz
- Good VSWR of 1.3:1

- Gold Plated Brass Contact
- 30 µin minimum contact plating

Applications

- General Purpose Test
- Custom Cable Assemblies

Description

Ebeestock's ET10860 type N male connector with clamp/solder attachment for ET-RG59, ET-RG62 and ET-RG71 is part of our full line of RF components available for same-day shipping. Our type N male connector operates up to a maximum frequency of 11 GHz and offers good VSWR of 1.3:1.

Our type N male connector ET10860 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		11	GHz
VSWR			1.3:1	
Operating Voltage (AC)			1,500	Vrms
Dielectric Withstanding Voltage (AC)			2,500	Vrms
Inner Conductor DC Resistance			1	mOhms
Outer Conductor DC Resistance			1	mOhms
Insulation Resistance	5,000			MOhms
RF Leakage	90			dB

Performance by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency Range	DC to 10					GHz
Insertion Loss, Max	0.15					dB

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male Connector Clamp/Solder Attachment for ET-RG59, ET-RG62, ET-RG71 ET10860



N Male Connector Clamp/Solder Attachment for ET-RG59, ET-ET-RG62, ET-RG71



RF Connectors Technical Data Sheet ET10860

Mechanical Specifications

Size

 Length
 1.35 in [34.29 mm]

 Width/Dia.
 0.827 in [21.01 mm]

 Weight
 0.078 lbs [35.38 g]

 Mating Cycles
 500 Cycles

Material Specifications

Description	Material	Plating
Contact	Brass	Gold 30 µin minimum
Insulation	PTFE	
Body	Brass	Nickel 100 µin minimum
Coupling Nut	Brass	Nickel

Environmental Specifications

Temperature

Operating Range -65 to +165 deg C
Vibration MIL-STD-202, Method 204, Condition B

Temperature Cycle
Salt Spray

MIL-STD-202, Method 107, Condition B

MIL-STD-202, Method 101, Condition B

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male Connector Clamp/Solder Attachment for ET-RG59, ET-RG62, ET-RG71 ET10860



N Male Connector Clamp/Solder Attachment for ET-RG59, ET-ET-RG62, ET-RG71



RF Connectors Technical Data Sheet ET10860

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

N Male Connector Clamp/Solder Attachment for ET-RG59, ET-RG62, ET-RG71 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male Connector Clamp/Solder Attachment for ET-RG59, ET-RG62, ET-RG71

URL: https://www.ebeestock.com/n-male-connector-clamp-solder-attachment-for-rg59-rg62-rg71-0010 860

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET10860 CAD Drawing

N Male Connector Clamp/Solder Attachment for ET-RG59, ET-RG62, ET-RG71





ET10860 REV 1.1