

N Female Connector Crimp/Solder Attachment 4 Hole Flange Mount for ET-RG213, ET-RG8, .718 inch Hole Spacing



RF Connectors Technical Data Sheet

ET10869

Configuration

- N Female Connector
- 50 Ohms
- Straight Body Geometry

- ET-RG213, ET-RG8 Interface Type
- Crimp/Solder Attachment
- 4 Hole Flange

Mechanical Specifications

Size

 Length
 1.64 in [41.66 mm]

 Width/Dia.
 1 in [25.40 mm]

 Height
 1 in [25.4 mm]

 Weight
 0.096 lbs [43.54 g]

Material Specifications

Description	Material	Plating
Insulation	PTFE	
Outer Conductor	Brass	Nickel
Body	Brass	Nickel

Compliance Certifications (visit for current document) RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Female Connector Crimp/Solder Attachment 4 Hole Flange Mount for ET-RG213, ET-RG8,

.718 inch Hole Spacing ET10869

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



N Female Connector Crimp/Solder Attachment 4 Hole Flange Mount for ET-RG213, ET-RG8, .718 inch Hole Spacing



RF Connectors Technical Data Sheet

ET10869

Plotted and Other Data

Notes:

N Female Connector Crimp/Solder Attachment 4 Hole Flange Mount for ET-RG213, ET-RG8, .718 inch Hole Spacing from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Female Connector Crimp/Solder Attachment 4 Hole Flange Mount for ET-RG213, ET-RG8, .718 inch Hole Spacing ET10869

URL: https://www.ebeestock.com/n-female-connector-crimp-solder-attachment-4-hole-flange-mount-f or-rg213-rg8-718-inch-hole-spacing-0010869

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



