

N Male Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole



# RF Connectors Technical Data Sheet

#### ET10967

### Configuration

- N Male Connector
- MIL-STD-348
- 50 Ohms

- Straight Body Geometry
- Connector Interface Types: Solder Cup
- Bulkhead

#### Features

- Max. Operating Frequency 11 GHz
- Silver Plated Contact

Contact plating according to QQ-S-365

### Applications

General Purpose Test

Rack and Panel Mount Applications

#### Description

Ebeestock's ET10967 type N male bulkhead connector with Solder Cup terminal (.350 inch D hole) is part of our full line of RF components available for same-day shipping. Our type N male connector operates up to a maximum frequency of 11 GHz. This type N bulkhead connector allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications.

Our type N male bulkhead connector ET10967 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		11	GHz
Operating Voltage (AC)			1,000	Vrms
Dielectric Withstanding Voltage (AC)			2,500	Vrms
Insulation Resistance	5,000			MOhms

#### Mechanical Specifications

Size

 Length
 1.41 in [35.81 mm]

 Width/Dia.
 0.8 in [20.32 mm]

 Weight
 0.154 lbs [69.85 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole ET10967

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



N Male Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole



# RF Connectors Technical Data Sheet

#### ET10967

#### Material Specifications

Description	Material	Plating
Contact		Silver QQ-S-365
Insulation	PTFE	
Body	Brass	Nickel QQ-N-290
Coupling Nut	Brass	Nickel QQ-N-290

## **Environmental Specifications**Temperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

#### Plotted and Other Data

Notes:

N Male Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male Bulkhead Mount Connector Solder Attachment Solder Cup Terminal, .350 inch D Hole ET10967

**URL:** https://www.ebeestock.com/n-male-bulkhead-mount-connector-solder-attachment-solder-cup-ter minal-350-inch-d-hole-0010967

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



