

SMA Female Right Angle Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin



# RF Connectors Technical Data Sheet

ET11185

## Configuration

- SMA Female Connector
- 50 Ohms
- Right Angle Body Geometry

- .018 inch Pin Interface Type
- Field Replaceable Attachment
- 4 Hole Flange

### Features

- Max. Operating Frequency 18 GHz
- Excellent VSWR of 1.2:1

- Gold over Nickel Plated Beryllium Copper Contact
- Contact plating according to MIL-G-45204

## Applications

General Purpose Test

Rack and Panel Mount Applications

#### Description

Ebeestock's ET11185 SMA female right angle 4 hole flange mount field replaceable connector with EMI gasket is part of our full line of RF components available for same-day shipping. Our SMA female connector operates up to a maximum frequency of 18 GHz and offers excellent VSWR of 1.2:1. Its right angle body geometry allows for easier connections in tight spaces. This SMA 4 hole flange connector allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications. This field replaceable connector is easy to install or replace in the field.

Our SMA female right angle 4 hole flange connector ET11185 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		18	GHz
VSWR			1.2:1	
Insertion Loss			0.22	dB

Electrical Specification Notes: Insertion loss: 0.05 x sqrt(fGHz) dB.

### Mechanical Specifications

Size

 Length
 0.585 in [14.86 mm]

 Width/Dia.
 0.5 in [12.70 mm]

 Height
 0.485 in [12.32 mm]

 Weight
 0.013 lbs [5.9 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Right Angle Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin ET11185

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Female Right Angle Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin



## RF Connectors Technical Data Sheet

ET11185

Mating Cycles	500 Cycles
---------------	------------

#### **Material Specifications**

Description	Material	Plating
Contact	Beryllium Copper	Gold over Nickel MIL-G-45204
Insulation	PTFE	
Body	Passivated Stainless Steel	ASTM-A380

## **Environmental Specifications**

#### Temperature

Operating Range Vibration Salt Spray

-55 to +100 deg C MIL-STD-202, Method 204, Condition D (20 G's) MIL-STD-202, Method 101, Condition B, 5% salt solution

Compliance Certifications (see product page for current document)

#### Plotted and Other Data

Notes:


SMA Female Right Angle Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Right Angle Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin ET11185

**URL:** https://www.ebeestock.com/sma-female-right-angle-field-replaceable-connector-with-emi-gask et-4-hole-flange-mount-018-inch-pin-0011185

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



FSCM NO. 53919

2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITH SUB

ebeestock.com

8th Floor, Building 1, Yongfu Science

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China