


SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact



RF Connectors Technical Data Sheet

ET11238

Configuration

- SMA Female Connector
- MIL-STD-348
- 50 Ohms

- Straight Body Geometry
- .047 inch End Launch Interface Type
- Solder Attachment

Features

Gold Plated Contact

Contact plating according to MIL-G-45204

Applications

General Purpose Test

PCB Applications

Description

Ebeestock's ET11238 SMA female connector with solder attachment for .047 inch end launch PCB is part of our full line of RF components available for same-day shipping.

Our SMA female connector ET11238 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 0.562 in [14.27 mm]

 Width/Dia.
 0.375 in [9.53 mm]

 Height
 0.312 in [7.92 mm]

 Weight
 0.005 lbs [2.27 g]

Material Specifications


Description	Material	Plating
Contact		Gold MIL-G-45204
Insulation	PTFE	
Body	Brass	Gold MIL-G-45204

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact ET11238

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact



RF Connectors Technical Data Sheet

ET11238

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact ET11238

URL: https://www.ebeestock.com/sma-female-connector-solder-attachment-047-inch-end-launch-pcb-0 20-inch-x-010-inch-contact-0011238

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

ET11238 CAD Drawing

SMA Female Connector Solder Attachment .047 inch End Launch PCB, .020 inch x .010 inch Contact

