

SMA Male Right Angle Connector Solder Attachment for ET38338 ET38337, ET38337J, ET38334, ET-RG402



RF Connectors Technical Data Sheet

ET11282

Configuration

- SMA Male Connector
- 50 Ohms
- Right Angle Body Geometry
- ET38338, ET38337, ET38335, ET-

SR402TN, ET-RG402 Interface Type

- Solder/Solder Attachment
- 5/16 inch Hex

Features

Max. Operating Frequency 10 GHz

Gold over Nickel Plated Brass Contact

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11282 SMA male right angle connector with solder/solder attachment for ET38338, ET38337, ET-SR402FLJ, ET38334 and ET-RG402 is part of our full line of RF components available for same-day shipping. Our SMA male connector operates up to a maximum frequency of 10 GHz. Its right angle body geometry allows for easier connections in tight spaces.

Our SMA male right angle connector ET11282 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

| Description | Minimum | Typical | Maximum | Units |
|-----------------|---------|---------|---------|-------|
| Frequency Range | DC | | 10 | GHz |
| | | | | |

Mechanical Specifications

| Size | |
|---------------|----------------------------------|
| Length | 0.598 in [15.19 mm] |
| Width/Dia. | 0.315 in [8.00 mm] |
| Height | 0.453 in [11.51 mm] |
| Weight | 0.0091 lbs [4.13 g] |
| Mating Torque | 8 to 10 in-lbs [0.90 to 1.13 Nm] |

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Right Angle Connector Solder Attachment for ET38338, ET38337, ET- SR402FLJ, ET38334, ET-RG402 ET11282

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen, 523900, Dongguan, Guangdong, China.



SMA Male Right Angle Connector Solder Attachment for ET38338, ET38337, ET38337J, ET38334, ET-RG402



RF Connectors Technical Data Sheet

ET11282

Material Specifications

| Description | Material | Plating |
|--------------|----------------------------|------------------|
| Contact | Brass | Gold over Nickel |
| Insulation | PTFE | |
| Body | Brass | Gold over Nickel |
| Coupling Nut | Passivated Stainless Steel | |

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

SMA Male Right Angle Connector Solder Attachment for ET38338, ET38337, ET38335, ET38334, ET-RG402 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male Right Angle Connector Solder Attachment for ET38338, ET38337, ET- SR402FLJ, ET38334, ET-RG402 ET11282


URL: https://www.ebeestock.com/sma-male-right-angle-connector-solder-attachment-for-pe-sr402al-pe-sr402fl-pe-sr402flj-pe-sr402tn-rg402-0011282

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

ET11282 CAD Drawing

SMA Male Right Angle Connector Solder Attachment for ET38338, ET38337, ET38335, ET38334, ET-RG402



SOLDER CENTER CONDUCTOR INTO SLOT OUTER CONDUCTOR TO BODY, PRESS CA INTO CONNECTOR BODY. ebeestock

Ebeestock.com

8th Floor, Building 1, Yongfu Science
and Technology Center Industrial Park,