

RP SMA Male Connector Solder Attachment for ET38338, ET38337

, ET38337J, ET38334, ET-RG402, Gold Plated Brass Body



RF Connectors Technical Data Sheet

ET11288

Configuration

- SMA Male Reverse Polarity Connector
- 50 Ohms
- Straight Body Geometry
- ET38338, ET38337, ET38335, ET-

SR402TN, ET-RG402 Interface Type

- Solder/Solder Attachment
- 5/16 inch Hex

Features

Gold over Nickel Plated Beryllium Copper Contact

Reverse Polarity

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11288 RP SMA male connector with solder/solder attachment for ET38338, ET38337, ET38335, ET38334 and ET-RG402 is part of our full line of RF components available for same-day shipping. The male reverse polarity configuration uses a male connector body with a female inner contact receptacle.

Our reverse polarity SMA male connector ET11288 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 0.465 in [11.81 mm]

 Width/Dia.
 0.315 in [8.00 mm]

 Weight
 0.007 lbs [3.18 g]

Material Specifications

| Description | Material | Plating |
|--------------|----------------------------|------------------|
| Contact | Beryllium Copper | Gold over Nickel |
| Insulation | PTFE | |
| Body | Brass | Gold over Nickel |
| Coupling Nut | Passivated Stainless Steel | |
| | | |

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP SMA Male Connector Solder Attachment for ET38338, ET38337, ET38335, ET38334, ET-RG402, Gold Plated Brass Body ET11288

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP SMA Male Connector Solder Attachment for ET38338, ET38337, ET38337J, ET38334, ET-RG402, Gold Plated Brass Body



RF Connectors Technical Data Sheet

ET11288

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

RP SMA Male Connector Solder Attachment for ET38338, ET38337, ET38335, ET38334, ET-RG402, Gold Plated Brass Body from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP SMA Male Connector Solder Attachment for ET38338, ET38337, ET38335, ET- SR402TN, ET-RG402, Gold Plated Brass Body ET11288

URL: https://www.ebeestock.com/rp-sma-male-connector-solder-attachment-for-pe-sr402al-pe-sr402f l-pe-sr402flj-pe-sr402tn-rg402-gold-plated-brass-body-0011288

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

ET11288 CAD Drawing

RP SMA Male Connector Solder Attachment for ET38338, ET38337, ET38335, ET38334, ET-RG402, Gold Plated Brass Body

