

Reverse Polarity SMA Male Connector Crimp/Solder Attachment for ET38398, ET38399



TECHNICAL DATA SHEET

ET11322

Configuration

Connector SMA Male Reverse Polarity Connector Interface Type RG188-DS, RG316-DS

Attachment Method (Shield/Contact)

Body Style

Crimp/Solder

Straight

Electrical Specifications

Impedance 50 Ohms

Mechanical Specifications

Size

 Length
 0.94 in [23.88 mm]

 Width/Dia.
 0.312 in [7.92 mm]

 Weight
 0.006 lbs [2.72 g]

Connector

Type SMA Male Reverse Polarity

Contact Material and Plating Gold

Coupling Nut Material and Plating

Brass, Nickel

5/16 in

Torque 5 in-lbs [0.57 Nm]
Body Material and Plating 5 in-lbs [0.57 Nm]

Dielectric Type PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

REACH Compliant 06/18/2012

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Male Connector Crimp/Solder Attachment for ET38398, ET38399 ET11322

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Reverse Polarity SMA Male Connector Crimp/Solder Attachment for ET38398, ET38399



TECHNICAL DATA SHEET

ET11322

Plotted and Other Data

Notes:

Values at +25 °C, sea level

Reverse Polarity SMA Male Connector Crimp/Solder Attachment for ET38398, ET38399 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Male Connector Crimp/Solder Attachment for ET38398, ET38399 ET11322

URL: https://www.ebeestock.com/reverse-polarity-sma-male-connector-crimp-solder-attachment-for-rg188-ds-rg316-ds-0011322

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET11322 CAD Drawing
Reverse Polarity SMA Male Connector Crimp/Solder
Attachment for ET38398, ET38399

