

RP SMA Female Connector Clamp/Solder Attachment for ET-ET-RG 174, ET-RG316, ET-RG188, ET-B100, ET-C100, 0.100 inch, ET-LMR-100



RF Connectors Technical Data Sheet ET11446

Configuration

- SMA Female Reverse Polarity Connector
- MIL-STD-348
- 50 Ohms
- Straight Body Geometry

- ET-RG174, ET-RG316, ET-RG188, ET-B100, ET-C100, 0.100
- inch, ET-LMR-100 Interface Type
- Clamp/Solder Attachment

Features

- Gold Plated Contact
- Contact plating according to MIL-G-45204
- Reverse Polarity

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11446 RP SMA female connector with clamp/solder attachment for ET-RG174, ET-RG316, ET-RG188, ET-B100, ET- C100, 0.100 inch and ET-LMR-100 is part of our full line of RF components available for same-day shipping. The female reverse polarity configuration uses a female connector body with a male inner contact pin.

Our reverse polarity SMA female connector ET11446 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 0.75 in [19.05 mm]

 Width/Dia.
 0.312 in [7.92 mm]

 Weight
 0.013 lbs [5.9 g]

Material Specifications

Gold
MIL-G-45204
Nickel QQ-N-290

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP SMA Female Connector Clamp/Solder Attachment for ET-RG174, ET-RG316, ET-RG188, ET-B100, ET-C100, 0.100 inch, ET-LMR-100 ET11446

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP SMA Female Connector Clamp/Solder Attachment for ET-ET-RG 174, ET-RG316, ET-RG188, ET-B100, ET-C100, 0.100 inch, ET-LMR-100



RF Connectors Technical Data Sheet ET11446

Compliance Certifications (see product page for current document)

Plotted and Other Data


Notes:

RP SMA Female Connector Clamp/Solder Attachment for ET-RG174, ET-RG316, ET-RG188, ET-B100, ET-C100, 0.100 inch, ET-LMR-100 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP SMA Female Connector Clamp/Solder Attachment for ET-RG174, ET-RG316, ET-RG188, ET-B100, ET- C100, 0.100 inch, ET-LMR-100 ET11446

URL: https://www.ebeestock.com/rp-sma-female-connector-clamp-solder-attachment-for-rg174-rg316-rg188-pe-b100-pe-c100-0-100-inch-lmr-100-0011446

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



- & SLIDE BRAID CLAMP (2) L SENTER CONDUCTOR 3 THROUGH HOLE.
-) OVER CENTER CONDUC TACT (4) TO CENTER CONI





0.75 [19.1] REF.		- 5/16 HEX
1/4-36	0.75 [19.1] — REF.	1/4-36

	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIME 2. ALL SPECIFICATIONS ARE SUBJECT TO (3. DIMENSIONS ARE IN INCHES [mm]. 4. FITS MIL-C-17 AND EQUIVALENT CABLES.	LL DIMENSIONS ARE NOMI CT TO CHANGE WITHOUT ABLES.	MINAL. IT NOTICE AT ANY	
M NO. 53919	CAD FILE 060702	SCALE N/A	SIZE A	