


RP-SMA Female Connector Solder Attachment 2 Hole Flange Mount to Solder Cup Terminal, .481 inch Hole Spacing



RF Connectors Technical Data Sheet

ET111467

Configuration

- SMA Female Reverse Polarity Connector MIL-C-39012
- 50 Ohms

- Straight Body Geometry
- Connector Interface Types: Solder Cup
- 2 Hole Flange

Features

- Gold Plated Contact
- Contact plating according to MIL-G-45204
- Reverse Polarity

Applications

General Purpose Test

Rack and Panel Mount Applications

Description

Ebeestock's ET11467 RP SMA female 2 hole flange mount connector with Solder Cup terminal (.481 inch hole spacing) is part of our full line of RF components available for same-day shipping. The female reverse polarity configuration uses a female connector body with a male inner contact pin. This SMA 2 hole flange connector allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications.

Our reverse polarity SMA female 2 hole flange connector ET11467 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

ze

 Length
 0.575 in [14.61 mm]

 Width/Dia.
 0.223 in [5.66 mm]

 Height
 0.625 in [15.88 mm]

 Weight
 0.006 lbs [2.72 g]

Material Specifications

Material	Plating	
	Gold MIL-G-45204	
Teflon		
Stainless Steel	Gold MIL-G-45204	
	Teflon	Gold MIL-G-45204 Teflon Stainless Steel Gold Gold

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP-SMA Female Connector Solder Attachment 2 Hole Flange Mount Solder Cup Terminal, .481 inch Hole Spacing ET11467

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP-SMA Female Connector Solder Attachment 2 Hole Flange Mount t Solder Cup Terminal, .481 inch Hole Spacing



RF Connectors Technical Data Sheet

ET11467

Environmental SpecificationsTemperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:


RP-SMA Female Connector Solder Attachment 2 Hole Flange Mount Solder Cup Terminal, .481 inch Hole Spacing from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP-SMA Female Connector Solder Attachment 2 Hole Flange Mount Solder Cup Terminal, .481 inch Hole Spacing ET11467

URL: https://www.ebeestock.com/rp-sma-female-connector-solder-attachment-2-hole-flange-mount-so lder-cup-terminal-481-inch-hole-spacing-0011467

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



A 53919 K.DANG ET1146

ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.

00Z - K 4 K > +0 > .0 . 1 4 > 6 K 0 I - 8 - H B .