

SMA Female Connector Solder Attachment for PE-SR401AL, ET383 26, ET-RG401



RF Connectors Technical Data Sheet ET11490

Configuration

- SMA Female Connector
- MIL-STD-348
- 50 Ohms

- Straight Body Geometry
- ET-SR401AL, ET38326, ET-RG401 Interface Type
- Solder/Solder Attachment

Features

Gold Plated Contact

Contact plating according to MIL-G-45204

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11490 SMA female connector with solder/solder attachment for ET-SR401AL, ET38326 and ET-RG401 is part of our full line of RF components available for same-day shipping.

Our SMA female connector ET11490 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 0.85 in [21.59 mm]

 Width/Dia.
 0.312 in [7.92 mm]

 Weight
 0.013 lbs [5.9 g]

Material Specifications

Description	Material	Plating
Contact		Gold MIL-G-45204
Insulation	PTFE	
Body	Brass	Gold MIL-G-45204

Environmental Specifications

Temperature

Operating Range

-65 to +165 deg C

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Connector Solder Attachment for ET-SR401AL, ET38326, ET-RG401 ET11490

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Female Connector Solder Attachment for PE-SR401AL, ET383 26, ET-RG401



RF Connectors Technical Data Sheet ET11490

Compliance Certifications (see product page for current document)

Plotted and Other Data


Notes:

SMA Female Connector Solder Attachment for ET-SR401AL, ET38326, ET-RG401 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Connector Solder Attachment for ET-SR401AL, ET38326, ET-RG401 ET11490

URL: https://www.ebeestock.com/sma-female-connector-solder-attachment-for-pe-sr401al-pe-sr401fl -rg401-0011490

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



ASSEMBLY PROCEDURES
IP CABLE AS SHOWN, DO NOT NICI

DIMENSIONS

SOLDER CONTACT TO CENTER CONDUCTOREMOVE EXCESS SOLDER.

INSERT CABLE INTO BODY UNTIL OUTER CONDUCTOR BUTTOMS ON WITH BODY SHOULDER. SOLDER OUTER CONDUCTOR BODY.

DWG TITLE

1. UNLESS OTHERWISE SPECIFIED ALL DIN
2. ALL SPECIFICATIONS ARE SUBJECT TO
3. DIMENSIONS ARE IN INCHES [mm].
4. FITS MIL-C-17 AND EQUIVALENT CABLES

Ebeestock.com

8th Floor, Building 1, Yongfu Science
and Technology Center Industrial Park,
trict 5, Humen,523900, Dongguan, Guange: www.ebeestock.com Email: sales@ebees