

SMP Male Limited Detent Connector Solder Attachment .092 inch End Launch PCB



TECHNICAL DATA SHEET

ET11555

Configuration

Connector SMP Male, Limited Detent

Connector Specification MIL-STD-348

Connector Interface Type .092 inch End Launch

Attachment Method (Shield/Contact)

Body Style

Solder

Straight

Electrical Specifications

Impedance 50 Ohms

Mechanical Specifications

Size

 Length
 0.29 in [7.37 mm]

 Width/Dia.
 0.25 in [6.35 mm]

 Height
 0.171 in [4.34 mm]

 Weight
 0.082 lbs [37.19 g]

Connector

Type SMP Male

Contact Material and Plating Beryllium Copper, Gold

Contact Plating Specification MIL-G-45204

Body Material and Plating

Beryllium Copper, Gold

Body Plating Specification

MIL-G-45204

Dielectric Type PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Limited Detent Connector Solder Attachment .092 inch End Launch PCB ET11555

www.ebeestock.com



SMP Male Limited Detent Connector Solder Attachment .092 inch End Launch PCB



TECHNICAL DATA SHEET

ET11555

Plotted and Other Data

Notes:

Values at +25 °C, sea level

SMP Male Limited Detent Connector Solder Attachment .092 inch End Launch PCB from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMP Male Limited Detent Connector Solder Attachment .092 inch End Launch PCB ET11555

URL: https://www.ebeestock.com/smp-male-limited-detent-connector-solder-attachment-092-inch-end -launch-pcb-0011555

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

