

RP TNC Male Connector Crimp/Solder Attachment for ET-RG214, ET-RG9, ET-RG225, ET-RG393



# RF Connectors Technical Data Sheet ET11784

## Configuration

- TNC Male Reverse Polarity Connector MIL-C-39012
- 50 Ohms

- Straight Body Geometry
- ET-RG214, ET-RG9, ET-RG225, ET-RG393 Interface Type
- Crimp/Solder Attachment

### Features

- Gold Plated Brass Contact
- 3 µin minimum contact plating

Reverse Polarity

# Applications

- General Purpose Test
- Custom Cable Assemblies

### Description

Ebeestock's ET11784 RP TNC male connector with crimp/solder attachment for ET-RG214, ET-RG9, ET-RG225 and ET-RG393 is part of our full line of RF components available for same-day shipping. The male reverse polarity configuration uses a male connector body with a female inner contact receptacle.

Our reverse polarity TNC male connector ET11784 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

#### Mechanical Specifications

Size

 Length
 1.375 in [34.93 mm]

 Width/Dia.
 0.59 in [14.99 mm]

 Weight
 0.042 lbs [19.05 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP TNC Male Connector Crimp/Solder Attachment for ET-RG214, ET-RG9, ET-RG393 ET11784

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP TNC Male Connector Crimp/Solder Attachment for ET-RG214, ET-RG9, ET-RG225, ET-RG393



### RF Connectors Technical Data Sheet ET11784

### Material Specifications

Description	Material	Plating
Contact	Brass	Gold 3 µin minimum
Insulation	PTFE	
Body	Brass	Nickel 70 µin minimum
Coupling Nut	Brass	Nickel 70 µin minimum
Crimp Sleeve	Brass	Nickel

Compliance Certifications (see product page for current document)

#### Plotted and Other Data

Notes:

RP TNC Male Connector Crimp/Solder Attachment for ET-RG214, ET-RG9, ET-RG225, ET-RG393 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: RP TNC Male Connector Crimp/Solder Attachment for ET-RG214, ET-RG9, ET-RG225, ET-RG393 ET11784

**URL:** https://www.ebeestock.com/rp-tnc-male-connector-crimp-solder-attachment-for-rg214-rg9-rg22 5-rg393-0011784

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

