

UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-ET-RG144, ET-RG215, ET-RG216



RF Connectors Technical Data Sheet

ET11841

Configuration

- UHF Male Connector
- 50 Ohms
- Straight Body Geometry

Features

- Max. Operating Frequency 300 MHz
- Good VSWR of 1.3:1

- ET-RG213, ET-RG214, ET-RG8, ET-RG9, ET-RG11, ET-RG225, ET-RG393,
- ET-RG144, ET-RG215, ET-RG216 Interface Type
- Clamp/Solder Attachment
- Gold Plated Brass Contact

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11841 UHF male connector with clamp/solder attachment for ET-RG213, ET-RG214, ET-RG8, ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-RG144, ET-RG215 and ET-RG216 is part of our full line of RF components available for same-day shipping. Our UHF male connector operates up to a maximum frequency of 300 MHz and offers good VSWR of 1.3:1.

Our UHF male connector ET11841 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

Frequency Range	DC	300	MHz
VSWR		1.3:1	
Operating Voltage (AC)		1,000	Vrms
Insulation Resistance	5,000		MOhms

Mechanical Specifications

Size

Length
Width/Dia.

1.44 in [36.58 mm]
0.75 in [19.05 mm]


Weight

0.076 lbs [34.47 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG8,



UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-ET-RG144, ET-RG215, ET-RG2⁻



ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-RG144, ET-RG215, ET-RG216 ET



UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-ET-RG144, ET-RG215, ET-RG216



RF Connectors Technical Data Sheet

ET11841

Material Specifications

Description	Material	Plating
Contact	Brass	Gold
Insulation	PTFE	
Body	Brass	Nickel
Coupling Nut	Brass	Nickel

Environmental Specifications

Temperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG9, ET-RG11, ET-RG225, ET-RG393, ET-RG144, ET-RG215, ET-RG216 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-RG214, ET-RG8, ET-RG9, ET-RG11 ET-RG225 ET-RG203 ET-RG114 ET-RG215 ET-RG216 ET11911


URL: https://www.ebeestock.com/uhf-male-connector-clamp-solder-attachment-for-rg213-rg214-rg8-rg9-rg11-rg225-rg393-rg144-rg215-rg216-0011841

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

ET11841 CAD Drawing

UHF Male Connector Clamp/Solder Attachment for ET-RG213, ET-



ET11841 REV 1.1