

UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET

-RG55, ET-ET-RG141, ET-ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, E1



RF Connectors Technical Data Sheet

ET11847

Configuration

- UHF Female Connector
- 50 Ohms
- Straight Body Geometry

- ET-RG58, ET-RG55, ET-RG141, ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, ET38380 Interface Type
- Clamp/Solder Attachment

Features

Gold Plated Contact

Applications

General Purpose Test

Custom Cable Assemblies

Description

Ebeestock's ET11847 UHF female connector with clamp/solder attachment for ET-RG58, ET-RG55, ET-RG141, ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195 and ET38380 is part of our full line of RF components available for same-day shipping.

Our UHF female connector ET11847 datasheet specifications and drawing with dimensions are shown below in this PDF. Ebeestock's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Ebeestock has the right connector for the job. Ebeestock can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 1.46 in [37.08 mm]

 Width/Dia.
 0.63 in [16.00 mm]

 Weight
 0.055 lbs [24.95 g]

Material Specifications

Description	Material	Plating
Contact		Gold
Insulation	PTFE	
Body	Brass	Nickel

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET-RG55, ET-RG141, ET-



UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET-RG55, ET-ET-RG141, ET-ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, E1



RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, ET38380 ET1184



UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET-RG55, ET-ET-RG141, ET-ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, E1



RF Connectors Technical Data Sheet

ET11847

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:


UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET-RG55, ET-RG141, ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, ET38380 from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: UHF Female Connector Clamp/Solder Attachment for ET-RG58, ET-RG55, ET-RG141, ET-RG142, ET-RG223, ET-RG400, ET-RG303, ET-C195, ET-P195, ET38380 ET11847

URL: https://www.ebeestock.com/uhf-female-connector-clamp-solder-attachment-for-rg58-rg55-rg141 -rg142-rg223-rg400-rg303-pe-c195-pe-p195-lmr-195-0011847

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.


8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RIPPING DIMENSION

SSEMBIY PROCEDINE

- SLIDE CLAMP NUT (1) & GASKET (2) OV
- 2. INSERT BRAID CLAMP (3) BETWEEN BRAIL DIELECTRIC. SLIDE INSULATOR (4) OVER CENTER CONDUCTOR INSERT CONTACT INTO INSULATOR (4) & SOLDER TO CENTE
- SLIDE CABLE ASSEMBLY INTO BOD TIGHTEN.



	3M NO. 53919
3. DIMENSIONS AR 4. FITS MIL-C-17 AP	CAD FILE
DIMENSIONS ARE IN INCHES [mm]. FITS MIL-C-17 AND EQUIVALENT C/	062402
ABLES.	SCALE N/A

Ebeestock.com

8th Floor, Building 1, Yongfu Science
and Technology Center Industrial Park,
lanzha District 5, Humen,523900, Dongguan, Guangdong, China.
Webstie: www.ebeestock.com Email: sales@ebeestock.com