

1.85mm Female to 1.85mm Female Adapter



RF Adapters Technical Data Sheet

ET11873

Configuration

- 1.85mm Female Connector 1
- 1.85mm Female Connector 2

Features

- Max VSWR of 1.25:1 up to 67 GHz
- 1.85mm interface compliant with MIL-STD-348
- 50 Ohm
- Straight Body Geometry
- Contact plating according to MIL-G-45204
- Gold Plated Contact

Applications

General Purpose Test

Description

Ebeestock's ET11873 1.85mm female to 1.85mm female adapter is part of our full line of RF components available for sameday shipping. The 1.85mm connector mates mechanically with commercially available 2.4mm connectors. Our 1.85mm to 1.85mm adapter has a female to female gender configuration. ET11873 1.85mm female to 1.85mm female adapter operates to 67 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.25:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		67	GHz
VSWR			1.25:1	
RF Leakage			-100	dB

Performance by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency Range	DC to 18	18 to 40	40 to 50	50 to 67		GHz
VSWR, Max	1.1:1	1.15:1	1.18:1	1.25:1		

Electrical Specification Notes: Values at 25°C, sea level. Mode free up to 67 GHz.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Female to 1.85mm Female Adapter ET11873

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



1.85mm Female to 1.85mm Female Adapter



RF Adapters Technical Data Sheet

ET11873

Mechanical Specifications

Size

 Length
 0.852 in [21.64 mm]

 Width
 0.312 in [7.92 mm]

 Weight
 0.013 lbs [5.9 g]

Description	Connector 1	Connector 2
Туре	1.85mm Female	1.85mm Female
Polarity	Standard	Standard
Interface Specification	MIL-STD-348	MIL-STD-348
Mating Cycles	500	500

Material Specifications

	Connector 1		Connec	etor 2
Description	Material	Plating	Material	Plating
Туре	1.85mm Female		1.85mm Female	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
		MIL-G-45204		MIL-G-45204
Insulation	PEI/PCTFE		PEI/PCTFE	
Outer Conductor F	Passivated Stainless Steel		Passivated Stainless Steel	
		ASTM A967-99		ASTM A967-99

Environmental Specifications

Temperature

Operating Range -55 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Female to 1.85mm Female Adapter ET11873

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



1.85mm Female to 1.85mm Female Adapter



RF Adapters Technical Data Sheet

ET11873

1.85mm Female to 1.85mm Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 1.85mm Female to 1.85mm Female Adapter ET11873

URL: https://www.ebeestock.com/1-85mm-female-to-1-85mm-female-adapter-0011873

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET11873 CAD Drawing 1.85mm Female to 1.85mm Female Adapter

