

Precision 2.92mm Male to N Female Adapter



# RF Adapters Technical Data Sheet

ET1198

0

# Configuration

- 2.92mm Male Connector 1
- N Female Connector 2
- 50 Ohms

- Precision Design
- Straight Body Geometry

### Features

- Max VSWR of 1.15:1 up to 18 GHz
- Gold over Nickel Plated Beryllium Copper Contact
- Contact Plating per MIL-G-45204

# Applications

Allows Connection Between Series
 General Purpose Test

Precision Test & Measurement

### Description

Ebeestock's ET11980 precision 2.92mm male to type N female adapter is part of our full line of RF components available for same-day shipping. The 2.92mm connector mates mechanically with commercially available SMA and 3.5mm connectors. Our 2.92mm to type N adapter has a male to female gender configuration in a precision design. ET11980 2.92mm male to type N female adapter operates to 18 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.15:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

lectrical Specifications			
Erequency Range	DC	18	GHz
VSWR		1.15:1	
Insertion Loss		0.22	dB

Electrical Specification Notes: Values at 25°C, sea level. Insertion Loss (dB) = 0.05\*sqrt(fGHz).

## Mechanical Specifications

 Size

 Length
 1.579 in [40.11 mm]

 Width
 0.62 in [15.75 mm]

 Weight
 0.079 lbs [35.83 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 2.92mm Male to N Female Adapter ET11980

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Precision 2.92mm Male to N Female Adapter



### RF Adapters Technical Data Sheet ET11980

Description	Connector 1	Connector 2
Туре	2.92mm Male	N Female
Polarity	Standard	Standard
Mating Cycles	500	500
Hex Size	5/16 in.	
Mating Torque	8 to 10 in-lbs [0.90 to 1.13 Nm]	

### Material Specifications

Conne		tor 1	Connector 2	
Description	n Material	Plating	Material	Plating
Туре	2.92mm Male		N Female	
Contact	Beryllium Copper	Gold over Nickel	Beryllium Copper	Gold over Nickel
		MIL-G-45204		MIL-G-45204
Insulation	Oxide-Noryl		Oxide-Noryl	
Outer Conductor			Passivated Stainless Steel	
				ASTM A380
Body	Passivated Stainless Steel			
		ASTM A380		
Coupling Nut	Passivated Stainless Steel			
		ASTM A380		

### **Environmental Specifications**

Temperature

Operating Range -55 to +100 deg C

Vibration

MIL-STD-202, Method 204, Cond. D (20G's)
MIL-STD-202, Method 101, Cond. B, 5% salt solution Salt Spray

Compliance Certifications (see product page for current document)

### Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 2.92mm Male to N Female Adapter ET11980



Precision 2.92mm Male to N Female Adapter



# RF Adapters Technical Data Sheet ET11980

Precision 2.92mm Male to N Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision 2.92mm Male to N Female Adapter ET11980

URL: https://www.ebeestock.com/precision-2-92mm-male-to-n-female-adapter-0011980

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET11980 CAD Drawing
Precision 2.92mm Male to N Female Adapter

