

7/16 DIN Tee Adapter Female-Female-Female



RF Adapters Technical Data Sheet

ET1208

7

Configuration

- 7/16 DIN Female Connector 1
- 7/16 DIN Female Connector 2

- 50 Ohms
 - Tee Body Geometry

Features

- 7/16 DIN interface compliant with MIL-C-39012
- Epoxy captivation

- Contact plating according to QQ-S-365
- Silver Plated Contact

Applications

General Purpose Test

Description

Ebeestock's ET12087 7/16 DIN tee adapter female-female-female is part of our full line of RF components available for same- day shipping. Our 7/16 DIN tee adapter has a female-female-female gender configuration. Tee adapters (also called tee connectors) are three port devices that can be used to split or combine a signal. Unlike power dividers/combiners, however, they do not provide matched impedance at all ports.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size			
Length	2.74 in [69.	.6 mm]	
Width	1.14 in [28.	.96 mm]	
Height	1.94 in [49.	.28 mm]	
Weight	0.721 lbs [327.04 g]		
	7/16 DIN Female	7/16 DIN Female	
Polarity	Standard	Standard	
Interface Specification	MIL-C-39012	MIL-C-39012	
Contact Captivation Method	Ероху	Ероху	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 7/16 DIN Tee Adapter Female-Female-Female ET12087



7/16 DIN Tee Adapter Female-Female-Female



RF Adapters Technical Data Sheet ET12087

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	7/16 DIN Female	7/16 DIN Female		
Contact		Silver		Silver
		QQ-S-365		QQ-S-365
Insulation	PTFE		PTFE	
Outer Conductor	Brass	Nickel	Brass	Nickel
		QQ-N-290		QQ-N-290
Gasket	Silicone Rubber	Silicone Rubber		

Environmental SpecificationsTemperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

7/16 DIN Tee Adapter Female-Female-Female from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 7/16 DIN Tee Adapter Female-Female ET12087

URL: https://www.ebeestock.com/7-16-din-tee-adapter-female-female-female-0012087

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12087 CAD Drawing
7/16 DIN Tee Adapter Female-Female-Female

