

BNC Male to MHV Female Adapter



RF Adapters Technical Data Sheet

ET1216

Configuration

- BNC Male Connector 1
- MHV Female Connector 2

- BNC Interface compliant with MIL-STD-348
- MHV Interface compliant with MIL-STD-348
- 50 Ohms
- Straight Body Geometry
- Silver Plated Contact
- Contact Plating per QQ-S-365

Applications

Features

Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12167 BNC male to MHV female adapter is part of our full line of RF components available for same-day shipping. Our BNC to MHV adapter has a male to female gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/ disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size			
Length	1.35 in [34.2	29 mm]	
Width	0.57 in [14.4	48 mm]	
Weight	0.043 lbs [19.5 g]		
Type	BNC Male	MHV Female	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348	MIL-STD-348	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: BNC Male to MHV Female Adapter ET12167



BNC Male to MHV Female Adapter



RF Adapters Technical Data Sheet ET12167

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	BNC Male	MHV Female		
Contact		Silver		Silver
		QQ-S-365		QQ-S-365
Insulation	PTFE		PTFE	
Outer Conductor			Brass	Nickel
				QQ-N-290
Body	Brass	Nickel		
		QQ-N-290		
Coupling Nut	Brass	Nickel		
		QQ-N-290		

Compliance Certifications (see product page for current document)


BNC Male to MHV Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: BNC Male to MHV Female Adapter ET12167

URL: https://www.ebeestock.com/bnc-male-to-mhv-female-adapter-0012167

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12167 CAD Drawing BNC Male to MHV Female Adapter



E AT ANY TIME.	127
٠ د	SIZE A
OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL CIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTIONS ONS ARE IN INCHES [mm].	SCALE N/A
SPECIFIED A ARE SUBJE JCHES [mm]	091902
THERWISE SIFICATIONS IFICATIONS NS ARE IN IP	CAD FILE
NOTES: 1. UNLESS C 2. ALL SPEC 3. DIMENSIC	53919
	NO.
	ESCM
DWG TITLE ET12167	REV