

MCX Jack to BNC Male Adapter



RF Adapters Technical Data Sheet

ET1224

Configuration

- MCX Jack Connector 1
- BNC Male Connector 2

Features

- MCX Interface compliant with MIL-C-39012
- BNC Interface compliant with MIL-STD-348

- 50 Ohms
- Straight Body Geometry
- Gold Plated Contact
- Contact Plating per MIL-G-45204

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12240 MCX jack to BNC male adapter is part of our full line of RF components available for same-day shipping. Our MCX to BNC adapter has a jack to male gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Interface Specification

Size		
Length	1.18 in [29.9	97 mm]
Width	0.57 in [14.4	
Weight	0.033 lbs [1	4.97 g]
Type	MCX Jack	BNC Male
Polarity	Standard	Standard

MIL-C-39012

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: MCX Jack to BNC Male Adapter ET12240

MIL-S I D-348



MCX Jack to BNC Male Adapter



RF Adapters Technical Data Sheet ET12240

Material Specifications

	Conn	ector 1	Conn	ector 2
Description	Material	Plating	Material	Plating
Туре	MCX Jack		BNC Male	
Contact		Gold		Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conductor	Brass	Nickel		
		QQ-N-290		
Body			Brass	Nickel
				QQ-N-290
Coupling Nut			Brass	Nickel
				QQ-N-290


Compliance Certifications (see product page for current document)

MCX Jack to BNC Male Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: MCX Jack to BNC Male Adapter ET12240

URL: https://www.ebeestock.com/mcx-jack-to-bnc-male-adapter-0012240

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



a hearthork	DWG TILE		NOTES: 1. UNLESS OTHERWISE SPECIFIED A	ALL DIMENSIONS ARE NOT		
Ebeestock.com 8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park.	ET12240		5. DIMENSIONS ARE IN INCHES [mm]	ARE IN INCHES [mm].	7	ANY IIME.
District 5, Humen,523900, Dongguan, Guangdong, China.	REV	FSCM NO. 53	53919 CAD FILE 092302	SCALE N/A	SIZE A	127