

SMA Female to BNC Male Adapter



RF Adapters Technical Data Sheet

ET1224

7

Configuration

- SMA Female Connector 1
- BNC Male Connector 2

Features

- Max VSWR of 1.25:1 up to 8 GHz
- SMA interface compliant with MIL-C-39012

- 50 Ohms
- Straight Body Geometry
- BNC interface compliant with MIL-C-39012
- Gold Plated Beryllium Copper Contact

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12247 SMA female to BNC male adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to BNC adapter has a female to male gender configuration. ET12247 SMA female to BNC male adapter operates to 8 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.25:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Ele	ctrical Specifications			
	Frequency Range	DC	8	GHz
	VSWR		1.25:1	

Mechanical Specifications

Size			
Length	1.39 in [35.	.31 mm]	
Width	0.57 in [14.	48 mm]	
Weight	0.046 lbs [20.87 g]		
Type	SMA Female	BNC Male	
Polarity	Standard	Standard	
Interface Specification	MIL-C-39012	MIL-C-39012	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to BNC Male Adapter ET12247

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Female to BNC Male Adapter



RF Adapters Technical Data Sheet ET12247

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	SMA Female		BNC Male	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
Outer Conductor Pa	assivated Stainless Steel			
Body			Brass	Nickel

Environmental Specifications

Temperature

Operating Range


-65 to +125 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Typical Performance Data



Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to BNC Male Adapter ET12247



SMA Female to BNC Male Adapter



RF Adapters Technical Data Sheet ET12247

SMA Female to BNC Male Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to BNC Male Adapter ET12247

URL: https://www.ebeestock.com/sma-female-to-bnc-male-adapter-0012247

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12247 CAD Drawing SMA Female to BNC Male Adapter

