


75 Ohm F Male to 75 Ohm PAL Plug Adapter



RF Adapters Technical Data Sheet

ET1230

7

Configuration

- F Male Connector 1
- PAL Plug Connector 2

- 75 Ohms
- Straight Body Geometry

Features

Gold Plated Brass Contact

• 3 µ-in min Gold Contact Plating

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12307 75 ohm type F male to PAL plug adapter is part of our full line of RF components available for same-day shipping. Our type F to PAL adapter has a male to plug gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size			
Length	1.023 in [25	5.98 mm]	
Width	0.433 in [11 mm]		
Weight	0.027 lbs [1	2.25 g]	
	F Male	PAL Plug	
Polarity	Standard	Standard	
Hex Size	7/16 in.		
Mating Torque	15 in-lbs [1.70 Nm] max		


Material Specifi	ications			
	Connector 1		Connector 2	
Туре	F Male		PAL Plug	
Contact	Brass	Gold	Brass	Gold
		3 μ-in minimum		3 μ-in minimum
Insulation	PTFE		PTFE	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm F Male to PAL Plug Adapter ET12307

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



75 Ohm F Male to 75 Ohm PAL Plug Adapter



RF Adapters Technical Data Sheet ET12307

Brass	Nickel	Brass	Nickel
	100 μ-in minimum		100 μ-in minimum
Brass	Nickel	Brass	Nickel
	100 μ-in minimum		100 μ-in minimum
		100 μ-in minimum Brass Nickel	100 μ-in minimum Brass Nickel Brass

Compliance Certifications (see product page for current document)

75 Ohm F Male to PAL Plug Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm F Male to PAL Plug Adapter ET12307

URL: https://www.ebeestock.com/75-ohm-f-male-to-75-ohm-pal-plug-adapter-0012307

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12307 CAD Drawing 75 Ohm F Male to PAL Plug Adapter

