

N Male to HN Female Adapter



## RF Adapters Technical Data Sheet

ET1236

3

## Configuration

- N Male Connector 1
- HN Female Connector 2

## Features

- Max VSWR of 1.3:1 up to 4 GHz
- Type N interface compliant with MIL-STD-348A
- HN interface compliant with MIL-STD-348A

- 50 Ohm
- Straight Body Geometry
- 30 µ-in minimum contact plating
- Gold Plated Brass Contact

## Applications

Allows Connection Between Series
General Purpose Test

### Description

Ebeestock's ET12363 type N male to HN female adapter is part of our full line of RF components available for same-day shipping. Our type N to HN adapter has a male to female gender configuration. ET12363 type N male to HN female adapter operates to 4 GHz. The Ebeestock RF adapter provides good VSWR of 1.3:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications			
Erequency Range	DC	4	GHz
VSWR		1.3:1	
Operating Voltage (AC)		1,000	Vrms

#### Mechanical Specifications

Size Leng

Length Width Weight

1.563 in [39.7 mm] 0.787 in [19.99 mm] 0.111 lbs [50.35 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male to HN Female Adapter ET12363



N Male to HN Female Adapter



## RF Adapters Technical Data Sheet ET12363

Description	Connector 1	Connector 2
Туре	N Male	HN Female
Polarity	Standard	Standard
Interface Specification	MIL-STD-348A	MIL-STD-348A

## Material Specifications

Connector 1		nector 1	Connector 2		
Description	Material	Plating	Material	Plating	
Туре	N Male		HN Female		
Contact	Brass	Gold	Brass	Gold	
		30 µ-in minimum		30 µ-in minimum	
Insulation	PTFE		PTFE		
Outer Conductor			Brass	Nickel	
				100 μ-in minimum	
Body	Brass	Nickel			
		100 μ-in minimum			
Gasket	Silicone				
Coupling Nut	Brass	Nickel			
		100 μ-in minimum			

# **Environmental Specifications**Temperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male to HN Female Adapter ET12363



N Male to HN Female Adapter




# RF Adapters Technical Data Sheet ET12363

N Male to HN Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Male to HN Female Adapter ET12363

URL: https://www.ebeestock.com/n-male-to-hn-female-adapter-0012363

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



PASTERNACK PE9125 2/8-24 UNEF

ebeestock.com	8th Floor, Building 1, Yongfu Science	and Technology Center Industrial Park,	anzha District 5, Humen,523900, Dongguan, Guangdong,	Webstie: www.ebeestock.com Email: sales@ebeestock.c
---------------	---------------------------------------	--	--	---