

LC Female to HN Male Adapter



RF Adapters Technical Data Sheet

ET1237

1

Configuration

- LC Female Connector 1
- HN Male Connector 2

- 50 Ohms
- Straight Body Geometry

Features

- LC Interface compliant with MIL-STD-348
- HN Interface compliant with MIL-STD-348
- Silver Plated Contact
- Contact Plating per QQ-S-365

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12371 LC female to HN male adapter is part of our full line of RF components available for same-day shipping. Our LC to HN adapter has a female to male gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size	
Length	2.41 in [61.21 mm]
Width	1.25 in [31.75 mm]
Weight	0.433 lbs [196.41 (

Туре	LC Female	HN Male	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348	MIL-STD-348	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: LC Female to HN Male Adapter ET12371



LC Female to HN Male Adapter



RF Adapters Technical Data Sheet ET12371

Material Specifications

	Conne	ector 1	Connector 2	
Description	Material	Plating	Material	Plating
Туре	LC Female		HN Male	
Contact		Silver		Silver
		QQ-S-365		QQ-S-365
Insulation	PTFE		PTFE	
Outer Conductor	Brass	Nickel		
		QQ-N-290		
Body			Brass	Nickel
				QQ-N-290
Coupling Nut			Brass	Nickel
				QQ-N-290


Compliance Certifications (see product page for current document)

LC Female to HN Male Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: LC Female to HN Male Adapter ET12371

URL: https://www.ebeestock.com/lc-female-to-hn-male-adapter-0012371

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.



L. ICE AT ANY TIME.	: A 127
ENSIONS ARE NOMINAL	SCALE N/A SIZE
OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL CIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTI ONS ARE IN INCHES [mm].	CAD FILE 092002
NOTES: 1. UNLESS OTHER 2. ALL SPECIFICA ⁷ 3. DIMENSIONS AF	53919 CAD
	FSCM NO.
DWG TITLE ET12371	REV