

N Female to LC Female Adapter



RF Adapters Technical Data Sheet

ET1237

9

Configuration

- N Female Connector 1
- LC Female Connector 2

Features

- N Interface compliant with MIL-STD-348
- LC Interface compliant with MIL-STD-348

- 50 Ohms
- Straight Body Geometry
- Silver Plated Contact
- Contact Plating per QQ-S-365

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12379 type N female to LC female adapter is part of our full line of RF components available for same-day shipping. Our type N to LC adapter has a female to female gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size				
Length	2.18 in [55.	37 mm]		
Width	1.25 in [31.	75 mm]		
Weight	0.385 lbs [1	0.385 lbs [174.63 g]		
Type	N Female	LC Female		
Polarity	Standard	Standard		
Interface Specification	MIL-STD-348	MIL-STD-348		

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Female to LC Female Adapter ET12379



N Female to LC Female Adapter



RF Adapters Technical Data Sheet ET12379

Material Specifications

	Connector 1		Connector 2		
Description	Material	Plating	Material	Plating	
Туре	N Female		LC Female		
Contact		Silver		Silver	
		QQ-S-365		QQ-S-365	
Insulation	PTFE		PTFE		
Outer Conductor	Brass	Nickel	Brass	Nickel	
		QQ-N-290		QQ-N-290	

Compliance Certifications (see product page for current document)


N Female to LC Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Female to LC Female Adapter ET12379

URL: https://www.ebeestock.com/n-female-to-lc-female-adapter-0012379

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12379 CAD Drawing N Female to LC Female Adapter



NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].	M NO. 53919 CAD FILE 022513-A SCALE N/A SIZE A 127
DWG TITLE ET12379	REV. A FSCI
ebeestock.com 8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park,	Nanzha District 5, Humen,523900, Dongguan, Guangdong, China. Webstie: www.ebeestock.com Email: sales@ebeestock.com