

MHV Male to MHV Female Right Angle Adapter



RF Adapters Technical Data Sheet

ET1240

4

Configuration

- MHV Male Connector 1
- MHV Female Connector 2

Features

- MHV interface compliant with MIL-STD-384
- Contact plating according to QQ-S-365

- 50 Ohm
- Right Angle Body Geometry

Applications

General Purpose Test

Silver Plated Beryllium Copper Contact

Description

Ebeestock's ET12404 MHV male to MHV female right angle adapter is part of our full line of RF components available for same-day shipping. Our MHV to MHV adapter has a male to female gender configuration. ET12404 MHV male to MHV female adapter operates to 50 MHz. This right angle MHV to MHV adapter allows for easier connections in tight spaces.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

ctrical Specifications		
Erequency Range DC	50	MHz
Operating Voltage (AC)	3,500	Vrms
Operating Voltage (DC)	5,000	Vdc
Dielectric Withstanding Voltage (AC)	5,000	Vrms

Mechanical Specifications

Size	
Length	1.08 in [27.43 mm]
Width	0.56 in [14.22 mm]
Height	0.84 in [21.34 mm]
Weight	0.0361 lbs [16.37 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: MHV Male to MHV Female Right Angle Adapter ET12404



MHV Male to MHV Female Right Angle Adapter



RF Adapters Technical Data Sheet ET12404

Description	Connector 1	Connector 2	
Туре	MHV Male	MHV Female	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-384	MIL-STD-384	

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	MHV Male		MHV Female	
Contact	Beryllium Copper	Silver	Beryllium Copper	Silver
		QQ-S-365		QQ-S-365
Insulation	PTFE		PTFE	
Outer Conductor			Brass	Nickel
				QQ-N-290
Body	Brass	Nickel	Brass	Nickel
		QQ-N-290		QQ-N-290
Coupling Nut	Brass	Nickel		
		QQ-N-290		

Environmental SpecificationsTemperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: MHV Male to MHV Female Right Angle Adapter ET12404

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



MHV Male to MHV Female Right Angle Adapter



RF Adapters Technical Data Sheet ET12404

MHV Male to MHV Female Right Angle Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: MHV Male to MHV Female Right Angle Adapter ET12404

URL: https://www.ebeestock.com/mhv-male-to-mhv-female-right-angle-adapter-0012404

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

Ebeestock.com

8th Floor, Building 1, Yongfu Science
and Technology Center Industrial Park,
District 5, Humen,523900, Dongguan, Guangdo

e-mail: sales@Ebeestock.com

DRAWN BY

K.DANG

3JAMVHM

