

75 Ohm Mini SMB Plug to 75 Ohm Mini SMB Jack Adapter



RF Adapters Technical Data Sheet

ET1241

2

Configuration

- Mini SMB Plug Connector 1
- Mini SMB Jack Connector 2

- 75 Ohms
- Straight Body Geometry

Features

Gold Plated Contact

Applications

Connector Saver

General Purpose Test

Description

Ebeestock's ET12412 75 ohm Mini SMB plug to Mini SMB jack adapter is part of our full line of RF components available for same-day shipping. Our Mini SMB to Mini SMB adapter has a plug to jack gender configuration. ET12412 Mini SMB plug to Mini SMB jack adapter is gold plated. The ET12412 Ebeestock RF adapter can also be used as a connector saver to extend equipment life.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size					
Length	0.778 in [19.76 mm]				
Width	0.28 in [7.11 mm]				
Weight	0.008 lbs [3.63 g]				
Type	Mini SMB Plug	Mini SMB Jack			
Polarity	Standard	Standard			

Material Specifications						
	Connec	Connector 1		Connector 2		
Туре	Mini SMB Plug		Mini SMB Jack			
Contact		Gold		Gold		
Insulation	PTFE		PTFE			
Outer Conductor			Brass	Gold		

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm Mini SMB Plug to Mini SMB Jack Adapter ET12412

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



75 Ohm Mini SMB Plug to 75 Ohm Mini SMB Jack Adapter



RF Adapters Technical Data Sheet ET12412

Body Brass Gold

Compliance Certifications (see product page for current document)

75 Ohm Mini SMB Plug to Mini SMB Jack Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm Mini SMB Plug to Mini SMB Jack Adapter ET12412

URL: https://www.ebeestock.com/75-ohm-mini-smb-plug-to-75-ohm-mini-smb-jack-adapter-0012412

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12412 CAD Drawing
75 Ohm Mini SMB Plug to Mini SMB Jack Adapter

