

75 Ohm N Male to 75 Ohm Mini SMB Jack Adapter



RF Adapters Technical Data Sheet

ET1241

6

Configuration

- N Male Connector 1
- Mini SMB Jack Connector 2

Features

- N Interface compliant with MIL-STD-348
- Mini SMB Interface compliant with MIL-STD-348
- 75 Ohms
- Straight Body Geometry
- Gold Plated Contact
- Contact Plating per MIL-G-45204

Applications

• Allows Connection Between Series

General Purpose Test

Description

Ebeestock's ET12416 75 ohm type N male to Mini SMB jack adapter is part of our full line of RF components available for same-day shipping. Our type N to Mini SMB adapter has a male to jack gender configuration.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Mechanical Specifications

Size		
Length	1.3 in [33.0)2 mm]
Width	0.8 in [20.3	32 mm]
Weight	0.068 lbs [3	30.84 g]
Type	N Male	Mini SMB Jack
Polarity	Standard	Standard
Interface Specification	MIL-STD-348	MIL-STD-348

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm N Male to Mini SMB Jack Adapter ET12416



75 Ohm N Male to 75 Ohm Mini SMB Jack Adapter



RF Adapters Technical Data Sheet ET12416

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	N Male	Mini SMB Jack		
Contact		Gold		Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conductor			Brass	Nickel
				QQ-N-290
Body Brass	Brass	Nickel		
		QQ-N-290		
Coupling Nut	Brass	Nickel		
		QQ-N-290		

Compliance Certifications (see product page for current document)

75 Ohm N Male to Mini SMB Jack Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm N Male to Mini SMB Jack Adapter ET12416

URL: https://www.ebeestock.com/75-ohm-n-male-to-75-ohm-mini-smb-jack-adapter-0012416

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12416 CAD Drawing 75 Ohm N Male to Mini SMB Jack Adapter

