

SMA Female to N Female Adapter, With Knurl



RF Adapters Technical Data Sheet

ET1256

Configuration

- SMA Female Connector 1
- N Female Connector 2

Features

- Max VSWR of 1.3:1 up to 11 GHz
- SMA Interface compliant with MIL-STD-348A
- N Interface compliant with MIL-STD-348A

- 50 Ohms
- Straight Body Geometry
- Gold Plated Beryllium Copper Contact
- 50µ in min Gold Contact Plating

Applications

 Allows Connection Between Series General Purpose Test

Description

Ebeestock's ET12562 SMA female to type N female adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to type N adapter has a female to female gender configuration. ET12562 SMA female to type N female adapter operates to 11 GHz. The Ebeestock RF adapter provides good VSWR of 1.3:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/ disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

ctrical Specifications		
Erequency Range	 11	GHz
VSWR	1.3:1	
Operating Voltage (AC)	500	Vrms

Mechanical Specifications

Size	
Length	1.232 in [31.29 mm]
Width	0.669 in [16.99 mm]
Height	0.669 in [16.99 mm]
Weight	0.068 lbs [30.84 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to N Female Adapter With Knurl ET12562

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen, 523900, Dongguan, Guangdong, China.



SMA Female to N Female Adapter, With Knurl



RF Adapters Technical Data Sheet ET12562

Description	Connector 1	Connector 2
Type	SMA Female	N Female
Polarity	Standard	Standard
Interface Specification	MIL-STD-348A	MIL-STD-348A

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	SMA Female		N Female	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
		50µ in. minimum		50μ in. minimum
Insulation	PTFE		PTFE	
Outer Conductor	Brass	Nickel	Brass	Nickel
		100μ in. minimum		100μ in. minimum

Environmental SpecificationsTemperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to N Female Adapter With Knurl ET12562



SMA Female to N Female Adapter, With Knurl



RF Adapters Technical Data Sheet ET12562

SMA Female to N Female Adapter With Knurl from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to N Female Adapter With Knurl ET12562

URL: https://www.ebeestock.com/sma-female-to-n-female-adapter-with-knurl-0012562

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12562 CAD Drawing
SMA Female to N Female Adapter With Knurl

