

Precision SMA Male to SMP Female Adapter



RF Adapters Technical Data Sheet

ET12635

Configuration

- SMA Male Connector 1
- SMP Female Connector 2
- 50 Ohms

- Precision Design
- Straight Body Geometry

Features

- Max VSWR of 1.2:1 up to 26.5 GHz
- SMA Interface compliant with MIL-STD-348
- SMP Interface compliant with MIL-STD-348
- Gold Plated Beryllium Copper Contact
- Contact Plating per MIL-G-45204

Applications

- Allows Connection Between Series
- General Purpose Test
- Precision Test & Measurement

Description

Ebeestock's ET12635 precision SMA male to SMP female adapter is part of our full line of RF components available for sameday shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to SMP adapter has a male to female gender configuration in a precision design. ET12635 SMA male to SMP female adapter operates to 26.5 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.2:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		26.5	GHz
VSWR			1.2:1	

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Size

 Length
 0.709 in [18.01 mm]

 Width
 0.312 in [7.92 mm]

 Weight
 0.0075 lbs [3.4 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Female Adapter ET12635

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Precision SMA Male to SMP Female Adapter



RF Adapters Technical Data Sheet

ET12635

Description	Connector 1	Connector 2		
Туре	SMA Male	SMP Female		
Polarity	Standard	Standard		
Interface Specification	MIL-STD-348	MIL-STD-348		
Hex Size	5/16 in.			
Mating Torque	8 to 10 in-lbs [0.90 to 1.13 Nm]			

Material Specifications

	Connect	Connector 1		ctor 2
Description	on Material	Plating	Material	Plating
Туре	SMA Male		SMP Female	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conductor			Beryllium Copper	Gold
				MIL-G-45204
Body	Passivated Stainless Steel			
		AMS-QQ-P-35		
Coupling Nut	Passivated Stainless Steel			
		AMS-QQ-P-35		

Environmental Specifications

Temperature

Operating Range

-55 to +125 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data


Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Female Adapter ET12635

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Precision SMA Male to SMP Female Adapter



RF Adapters Technical Data Sheet

ET12635

Precision SMA Male to SMP Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Female Adapter ET12635

URL: https://www.ebeestock.com/precision-sma-male-to-smp-female-adapter-0012635

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12635 CAD Drawing
Precision SMA Male to SMP Female Adapter

