

RP-SMA Female to RP-SMA Female Adapter



# RF Adapters Technical Data Sheet

ET12675

#### Configuration

Connector 1
Connector 2
Impedance
Body Style

SMA Female Reverse Polarity

### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		6	GHz
VSWR			1.35:1	

### Mechanical Specifications

Size

Length 0.5 in [12.7 mm] Width 0.25 in [6.35 mm]

#### Material Specifications

	Connector 1			Connector 2		
Descri	ption	Material	Plating	Material	Plating	
Туре	e SMA Female Reverse Polarity			SMA Female Reverse Polarity		
Contact		Brass	Gold	Brass	Gold	
Outer Conc	luctor Pass	sivated Stainless Steel	Gold	Passivated Stainless Steel	Gold	
Body	Pass	sivated Stainless Steel	Gold	Passivated Stainless Steel	Gold	

### **Environmental Specifications**

Temperature

Operating Range -65 to 125 deg C

Compliance Certifications (visit for current document) RoHS Compliant REACH Compliant 06/18/2012

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Female to Reverse Polarity SMA Female Adapter ET12675

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP-SMA Female to RP-SMA Female Adapter



# RF Adapters Technical Data Sheet

ET12675

#### Plotted and Other Data

Notes:

Reverse Polarity SMA Female to Reverse Polarity SMA Female Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Female to Reverse Polarity SMA Female Adapter ET12675

URL: https://www.ebeestock.com/rp-sma-female-to-rp-sma-female-adapter-0012675

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

