

SMA Tee Adapter Female-Female-Female



RF Adapters Technical Data Sheet

ET1270

5

Configuration

- SMA Female Connector 1
- SMA Female Connector 2

Features

- SMA Interface compliant with MIL-STD-348
- Gold Plated Beryllium Copper Contact

- 50 Ohms
- Tee Body Geometry

Applications

General Purpose Test

Contact Plating per MIL-G-45204

Description

Ebeestock's ET12705 SMA female to SMA female tee adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA tee adapter has a female-female-female gender configuration. Our SMA tee connector operates to 6 GHz. Tee adapters (also called tee connectors) are three port devices that can be used to split or combine a signal. Unlike power dividers/combiners, however, they do not provide matched impedance at all ports.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications

Frequency Range	DC	6	GHz

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Size

 Length
 1.035 in [26.29 mm]

 Width
 0.255 in [6.48 mm]

 Height
 0.64 in [16.26 mm]

 Weight
 0.013 lbs [5.9 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female Tee Adapter ET12705

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Tee Adapter Female-Female-Female



RF Adapters Technical Data Sheet ET12705

Description	Connector 1	Connector 2	
Туре	SMA Female	SMA Female	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348	MIL-STD-348	

Material Specifications

	Connector 1		Connector 2	
Description	Material	Plating	Material	Plating
Туре	SMA Female		SMA Female	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conductor	Brass	Nickel	Brass	Nickel
		QQ-N-290		QQ-N-290

Environmental Specifications Temperature

Operating Range -65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female Tee Adapter ET12705



SMA Tee Adapter Female-Female-Female



RF Adapters Technical Data Sheet ET12705

SMA Female to SMA Female Tee Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female Tee Adapter ET12705

URL: https://www.ebeestock.com/sma-tee-adapter-female-female-female-0012705

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12705 CAD Drawing SMA Female to SMA Female Tee Adapter

