

SMA Female to SMA Female 4 Hole Flange Mount Adapter



# RF Adapters Technical Data Sheet

ET1270

9

## Configuration

- SMA Female Connector 1
- SMA Female Connector 2
- 50 Ohms

- Straight Body Geometry
- 4 Hole Flange Mount Method

#### Features

- Max VSWR of 1.25:1 up to 18 GHz
- SMA Interface compliant with MIL-STD-348
- Gold Plated Beryllium Copper Contact

- Contact Plating per MIL-G-45204
- Epoxy captivation

# Applications

General Purpose Test

Rack Mounted Equipment

### Description

Ebeestock's ET12709 SMA female to SMA female 4 hole flange adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to SMA adapter has a female to female gender configuration. ET12709 SMA female to SMA female adapter operates to 18 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.25:1 maximum. This RF SMA to SMA 4 hole flange adapter allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

ectrical Specifications				
Erequency Range	DC	18	GHz	
<u>VSWR</u>		1.25:1		
Operating Voltage (AC)		335	Vrms	
Dielectric Withstanding Voltage (AC)		1,000	Vrms	
Insulation Resistance	5,000		MOhms	

Electrical Specification Notes: Values at 25°C, sea level

### Mechanical Specifications

Size

Length 0.87 in [22.1 mm]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female 4 Hole Flange Adapter ET12709

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



## SMA Female to SMA Female 4 Hole Flange Mount Adapter



# RF Adapters Technical Data Sheet ET12709

 Width
 0.5 in [12.7 mm]

 Height
 0.5 in [12.7 mm]

 Weight
 0.011 lbs [4.99 g]

Description	Connector 1	Connector 2	
Type	SMA Female	SMA Female	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348	MIL-STD-348	
Contact Captivation Method	Epoxy	Ероху	

## Material Specifications

	Connector 1		Connec	or 2
Description	Material	Plating	Material	Plating
Туре	SMA Female		SMA Female	
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conductor Pa	assivated Stainless Steel		Passivated Stainless Steel	

## Environmental Specifications

Temperature

Operating Range -65 to +165 deg C

Compliance Certifications (see product page for current document)

## Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female 4 Hole Flange Adapter ET12709




SMA Female to SMA Female 4 Hole Flange Mount Adapter



# RF Adapters Technical Data Sheet ET12709

### **Typical Performance Data**



SMA Female to SMA Female 4 Hole Flange Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female 4 Hole Flange Adapter ET12709

**URL:** https://www.ebeestock.com/sma-female-to-sma-female-4-hole-flange-mount-adapter-0012709

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

