

SMA Female to SMA Female Right Angle Adapter



RF Adapters Technical Data Sheet

ET1272

2

Configuration

- SMA Female Connector 1
- SMA Female Connector 2

- 50 Ohms
- Right Angle Body Geometry

Electrical Specifications			
Operating Voltage (AC)		335	Vrms
Dielectric Withstanding Voltage (AC)		1,000	Vrms
Insulation Resistance	10,000		MOhms

Mechanical Specifications

Size

 Length
 0.585 in [14.86 mm]

 Width
 0.25 in [6.35 mm]

 Height
 0.585 in [14.86 mm]

Weight 0.006 lbs [2.72 g]

Type	SMA Female	SMA Female	
Polarity	Standard	Standard	
Polarity	Standard	Standard	

Material Specifications							
	Connector		Connector 2				
Туре	SMA Female		SMA Female				
Contact		Gold		Gold			
Insulation	Teflon		Teflon				
Body	Passivated Stainless Steel		Passivated Stainless Steel				

Environmental Specifications

Temperature

Operating Range

-65 to +165 deg C

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female Right Angle Adapter ET12722

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Female to SMA Female Right Angle Adapter



RF Adapters Technical Data Sheet ET12722

Compliance Certifications (visit for current document) Not RoHS Compliant REACH Compliant 12/17/2014

Plotted and Other Data

Notes:

SMA Female to SMA Female Right Angle Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female to SMA Female Right Angle Adapter ET12722

URL: https://www.ebeestock.com/sma-female-to-sma-female-right-angle-adapter-0012722

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

