


Precision SMA Male to SMP Male Limited Detent Adapter, 18 Gh

Ζ



RF Adapters Technical Data Sheet

ET1272

6

Configuration

- SMA Male Connector 1
- Limited Detent SMP Male Connector 2
- 50 Ohms

- Precision Design
- Straight Body Geometry

Features

- Max VSWR of 1.2:1 up to 18 GHz
- SMA Interface compliant with MIL-STD-348
- SMP Interface compliant with MIL-STD-348
- Gold Plated Beryllium Copper Contact
- Contact Plating per MIL-G-45204

Applications

- Allows Connection Between Series
- General Purpose Test
- Precision Test & Measurement

Description

Ebeestock's ET12726 precision SMA male to SMP male limited detent adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to SMP adapter has a male to male gender configuration in a precision design. ET12726 SMA male to SMP male adapter operates to 18 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.2:1 maximum.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Electrical Specifications			
Erequency Range	DC	18	GHz
VSWR		1.2:1	

Mechanical Specifications

Size

 Length
 0.85 in [21.59 mm]

 Width
 0.312 in [7.92 mm]


 Weight
 0.011 lbs [4.99 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Male Limited Detent Adapter 18 Ghz ET12726



Precision SMA Male to SMP Male Limited Detent Adapter, 18 Gh

Ζ



RF Adapters Technical Data Sheet ET12726

Description	Connector 1	Connector 2	
Туре	SMA Male	SMP Male	
Polarity	Standard	Standard	
nterface Specification	MIL-STD-348	MIL-STD-348	
Hex Size	5/16 in.		
Mating Torque	3 to 5 in-lbs [0.34 to 0.57 Nm]		
Mating Torque	3 to 5 in-lbs [0.34 to 0.57 Nm]		

Material Specifications

Connect	or 1	Connect	tor 2
n Material	Plating	Material	Plating
SMA Male		Limited Detent SMP Male	
Beryllium Copper	Gold	Beryllium Copper	Gold
	MIL-G-45204		MIL-G-45204
Passivated Stainless Steel		Beryllium Copper	Gold
			MIL-G-45204
Brass	Nickel		
	n Material SMA Male Beryllium Copper Passivated Stainless Steel	n Material Plating SMA Male Beryllium Copper Gold MIL-G-45204 Passivated Stainless Steel	SMA Male Beryllium Copper Gold MIL-G-45204 Passivated Stainless Steel Plating Material Limited Detent SMP Male Beryllium Copper MIL-G-45204 Beryllium Copper

Environmental Specifications

Temperature

Operating Range -65 to +125 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data


Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Male Limited Detent Adapter 18 Ghz ET12726




Precision SMA Male to SMP Male Limited Detent Adapter, 18 Gh

Ζ



RF Adapters Technical Data Sheet ET12726

Typical Performance Data



Precision SMA Male to SMP Male Limited Detent Adapter 18 Ghz from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Precision SMA Male to SMP Male Limited Detent Adapter 18 Ghz ET12726

URL: https://www.ebeestock.com/precision-sma-male-to-smp-male-limited-detent-adapter-18-ghz-001 2726

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

