

RP-SMA Male to RP-SMA Female Right Angle Adapter



RF Adapters Technical Data Sheet

ET1273

4

Configuration

- SMA Male Reverse Polarity Connector 1
- SMA Female Reverse Polarity Connector 2

Features

- Max VSWR of 1.25:1 up to 6 GHz
- SMA Interface compliant with MIL-STD-348

Gold Plated Contact

• 50 Ohms

Contact Plating per MIL-G-45204

Right Angle Body Geometry

Applications

General Purpose Test

Description

Ebeestock's ET12734 reverse polarity SMA male to reverse polarity SMA female right angle adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our reverse polarity SMA to reverse polarity SMA adapter has a male to female gender configuration. ET12734 reverse polarity SMA male to reverse polarity SMA female adapter operates to 6 GHz. The Ebeestock RF adapter provides excellent VSWR of 1.25:1 maximum. This low profile right angle SMA adapter allows for easier connections in tight spaces.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

Frequency Range DC 6 GHz VSWR 1.25:1

Electrical Specification Notes: Values at 25°C, sea level

Mechanical Specifications

 Size

 Length
 0.61 in [15.49 mm]

 Width
 0.312 in [7.92 mm]

 Height
 0.583 in [14.81 mm]

 Weight
 0.013 lbs [5.9 g]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle Adapter ET12734



RP-SMA Male to RP-SMA Female Right Angle Adapter



RF Adapters Technical Data Sheet ET12734

Description	Connector 1	Connector 2
Туре	SMA Male	SMA Female
Polarity	Reverse Polarity	Reverse Polarity
Interface Specification	MIL-STD-348	MIL-STD-348
Hex Size	5/16 in.	
Mating Torque	3 to 5 in-lbs [0.34 to 0.57 Nm]	

Material Specifications

	Connector 1		Connector 2	
Descriptio	n Material	Plating	Material	Plating
Туре	SMA Male Reverse Polarity		SMA Female Reverse Polarity	
Contact		Gold		Gold
		MIL-G-45204		MIL-G-45204
Insulation	PTFE		PTFE	
Outer Conducto	or		Brass	Nickel
				QQ-N-290
Body	Brass	Nickel		
		QQ-N-290		
Coupling Nut	Brass	Nickel		
		QQ-N-290		
		QQ-N-290		

Environmental Specifications

Temperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle Adapter ET12734

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



RP-SMA Male to RP-SMA Female Right Angle Adapter



RF Adapters Technical Data Sheet ET12734

Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle Adapter ET12734

URL: https://www.ebeestock.com/rp-sma-male-to-rp-sma-female-right-angle-adapter-0012734

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12734 CAD Drawing
Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle Adapter

