

2.6 dBi Embedded PCB Antenna 2,400-2,500 MHz UMCX Connector



Antennas Technical Data Sheet

ET12970

Features

- Highly efficient flex printed circuit board (PCB) design
- Designed for omni-directional applications
- Low profile, compact size
- IPEX, U.FL, UMCX compatible connector

Applications

- Integrate into self contained wireless equipment
- Embedded applications requiring integration flexibility
- 2.4 GHz WLAN and Bluetooth

Description

The ET12970 is an omnidirectional antenna designed to integrate into devices requiring wireless capability. By embedding these antennas directly into a device, the need for external antennas is eliminated. The omni-directional radiation pattern makes it ideal for multipoint and mobile wireless systems.

Configuration

Design
Band Type
Single

Radiation Pattern Omni Directional

Polarization Vertical Cable Type 1.13mm

Cable Length
Connector Type
3.937 in [100 mm]
UMCX Plug

Number of Ports

Housing Material and Plating Polymer

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	2,400		2,500	GHz
Input VSWR			2:1	
Impedance		50		Ohms
Gain		2.6		dBi
Input Power			5	Watts

Mechanical Specifications

Housing Material Polymer

Size

 Overall Length
 1.06299213 in [27 mm]

 Width
 0.70866142 in [18 mm]

 Height
 0.00629921 in [0.16 mm]

Environmental Specifications

Temperature

Operating Range -40 to +85 deg C
Storage Range -40 to +85 deg C

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.6 dBi Embedded PCB Antenna 2,400-2,500 MHz UMCX Connector ET12970

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



2.6 dBi Embedded PCB Antenna 2,400-2,500 MHz UMCX Connector




Antennas Technical Data Sheet

ET12970

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:



2.6 dBi Embedded PCB Antenna 2,400-2,500 MHz UMCX Connector from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.6 dBi Embedded PCB Antenna 2,400-2,500 MHz UMCX Connector ET12970

URL: https://www.ebeestock.com/2-6-dbi-embedded-pcb-antenna-2-400-2-500-mhz-umcx-connector-0012 970

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

