

2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector



# Antennas Technical Data Sheet

ET12994

#### Features

- Can be used with 2.4 GHz and 900 MHz systems
- TAD/NMO Mounting System

Weather-Proof

# Applications

- 802.11b, 802.11g, 802.11n and Bluetooth® compatible (2.4 GHz Band)
- 2.4 GHz and 900 MHz Wireless Video Systems
- Multipoint and Mobile Applications
- ISM, GSM, RFID, 900 MHz Cellular compatible (900 MHz Band)

#### Description

This very compact mobile-mount dual band omni antenna is designed to operate in 2.4 GHz or 900 MHz bands and provides broad coverage and 3 dBi gain. The Dual-Band design of this antenna eliminates the need to purchase different antennas for each frequency. In the 2.4 GHz ISM band, it is ideally suited for ISM, IEEE 802.11b, 802.11g and 802.11n wireless LANs, Bluetooth® and other WLAN applications where omni-directional coverage and low visibility are desired. In the 900 MHz band, this antenna is ideally suited for ISM, GSM and RFID applications as well as 900MHz wireless LAN and Cellular systems.

This RF antenna is only 2.7" long and features an aesthetic black finish. It is designed with a standard TAD/NMO Motorolatype connection that allows for ease of installation to similar TAD/NMO mounting systems. Because of its near-invisible design this antenna is ideal for use on vehicles where vandal-resistance and aesthetics are important.

# Configuration

Design
Band Type
Dual

Radiation Pattern Omni Directional

Polarization
Connector Type
Number of Ports

Vertical
NMO Mount

#### Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	900		2,500	MHz
Impedance		50		Ohms
Gain		3		dBi
Input Power			50	Watts

## Specifications by Band

Description	Band 1	Band 2	Band 3	Band 4	Band 5	Units
Range	0.9 to 0.96	2.4 to 2.5				GHz
Horizontal Beam Width	360	360				Degrees
Vertical Beam Width	60					Degrees
Maximum Input Power		50				

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector ET12994



2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector



# Antennas Technical Data Sheet

ET12994

## Mechanical Specifications

Radome Material ABS

Size

 Overall Length
 3 in [76.2 mm]

 Width
 1.4 in [35.56 mm]

 Height
 1.4 in [35.56 mm]

 Weight
 0.2 lbs [90.72 g]

## **Environmental Specifications**


Temperature

Operating Range -40 to +85 deg C Wind Loading 150 MPH [241.4 KPH]

Compliance Certifications (see product page for current document)

#### Plotted and Other Data

Notes:



Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector ET12994



2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector



### Antennas Technical Data Sheet

ET12994


2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 2.4 GHz/900 MHz 3 dBi Omni Antenna - NMO Connector ET12994

URL: https://www.ebeestock.com/2-4-ghz-900-mhz-3-dbi-omni-antenna-nmo-connector-0012994

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



www.ebeestock.com