

Paddle Portable Dual Band Band Antenna Operates From With a Maximum 6 dBi Gain RP SMA Male Input Connector



Antennas Technical Data Sheet

ET13047

Configuration

Design
Band Type
Dual

Radiation Pattern Omni Directional

Connector Type SMA Male Reverse Polarity

Number of Ports

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Input VSWR			2:1	
Impedance		50		Ohms
Gain			6	dBi

Specifications by Band

Description	Band 1	Band 2	Band 3	Band 4	Band 5	Units
Range	2.4 to 2.5	5 to 5.9				GHz
Gain	3.5	6				dBi

Mechanical Specifications

Size

 Overall Length
 4.9 in [124.46 mm]

 Width
 0.9 in [22.86 mm]

 Height
 0.5 in [12.7 mm]

 Weight
 0.035 lbs [15.88 g]

Environmental Specifications

Temperature

Operating Range -10 to +55 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Paddle Portable Dual Band Band Antenna Operates From With a Maximum 6 dBi Gain RP SMA Male Input Connector ET13047

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Paddle Portable Dual Band Band Antenna Operates From With a Maximum 6 dBi Gain RP SMA Male Input Connector



Antennas Technical Data Sheet

ET13047

Paddle Portable Dual Band Band Antenna Operates From With a Maximum 6 dBi Gain RP SMA Male Input Connector from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Paddle Portable Dual Band Band Antenna Operates From With a Maximum 6 dBi Gain RP SMA Male Input Connector ET13047

URL: https://www.ebeestock.com/paddle-portable-dual-band-band-antenna-operates-from-with-a-maxi mum-6-dbi-gain-rp-sma-male-input-connector-0013047

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.

0.94 [24.0]

APSMA F



8th Floor, Building 1, Yongfu Sciencand Technology Clenter Industrial P. O. Box 16759 j Irvine CA j 92623

hone: (949) 261-1920 j Fax: (949)

