

Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dB i Gain TNC Male Input Connector Rated



TECHNICAL DATA SHEET

ET13059

Configuration

Design
Frequency Range
1.7 to 2.5 GHz
Polarization
Vertical
Interface 1
TNC Male

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Impedance		50		Ohms
Gain			2	dBi
Horizontal Half Power Beam Width		70		Degrees
Vertical Half Power Beam Width		360		Degrees
Input Power			50	Watts
Input VSWR			2:1	

Mechanical Specifications

Radome Material Fiberglass

Size

 Length
 10 in [254 mm]

 Width
 0.812 in [20.62 mm]

 Weight
 0.264 lbs [119.75 g]

Environmental Specifications

Compliance Certifications (see product page for current document)

Plotted and Other Data

2 Dimensional OML Drawing

ET13059

Notes:

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dBi Gain TNC Male Input Connector Rated ET13059

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dB i Gain TNC Male Input Connector Rated



TECHNICAL DATA SHEET

ET13059

Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dBi Gain TNC Male Input Connector Rated from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dBi Gain TNC Male Input Connector Rated ET13059

URL: https://www.ebeestock.com/antenna-operates-from-1-7-ghz-to-2-5-ghz-with-a-maximum-2-dbi-ga in-tnc-male-input-connector-rated-0013059

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET13059 CAD Drawing

Antenna Operates From 1.7 GHz to 2.5 GHz with a Maximum 2 dBi Gain TNC Male Input Connector Rated

