



| COMPONENTS         | IMPEDANCE |
|--------------------|-----------|
| N MALE RIGHT ANGLE | 50 OHM    |
| N MALE RIGHT ANGLE | 50 OHM    |
| RG58C/U            | 50 OHM    |
|                    |           |

| Standard Lengths |                         |
|------------------|-------------------------|
| -12              | 12"                     |
| -24              | 24"                     |
| -36              | 36"                     |
| -48              | 48"                     |
| -60              | 60"                     |
| -XXX             | Custom Length in inches |
|                  |                         |



|  |   |
|--|---|
|  <p>8TH FLOOR, BUILDING 1, YONGFU SCIENCE AND TECHNOLOGY CENTER INDUSTRIAL PARK, NANZHA DISTRICT 5, HUMEN, 523900, DONGGUAN, GUANGDONG, CHINA</p> <p>WEBSITE: <a href="http://www.ebeeStock.com">www.ebeeStock.com</a><br/>EMAIL: <a href="mailto:sales@ebeeStock.com">sales@ebeeStock.com</a><br/>COAXIAL &amp; FIBER OPTICS</p> |   |
| <p>DWG TITLE</p> <p><b>ET277+)</b></p>   | <p>DES. CABLE ASSEMBLY, RG58C/U, N MALE RIGHT ANGLE TO N MALE RIGHT ANGLE</p> |
| <p>REV. A</p> <p>FSCM NO. 53919</p>  | <p>CAD FILE 021108</p> <p>SCALE N/A</p> <p>SIZE A 127</p>                     |

- NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
  3. DIMENSIONS ARE IN INCHES.
  4. LENGTH TOLERANCE IS  $\pm 1.5\%$  OR  $\pm 3/8"$ , WHICHEVER IS GREATER.