

75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Usin g 75 Ohm ET38348 Blue Coax



RF Cable Assemblies Technical Data Sheet

ET31249

Configuration

Connector 1: SMC Plug
Connector 2: BNC Male
Cable Type: MINI 59

Features

- 83% Phase Velocity
- Double Shielded
- PVC Jacket

Applications

General Purpose

Laboratory Use

Description

Ebeestock's ET31249 75 ohm SMC plug to 75 ohm BNC male 36 inch cable using 75 ohm ET-B159-BL coax is part of our full line of RF components available for same-day shipping. Ebeestock's flexible RF cable assemblies are ideal for applications where tight bends and flexure are required. This Ebeestock SMC to BNC cable assembly has a plug to male gender configuration with 75 ohm flexible MINI 59 coax. The double shielding of this Ebeestock cable assembly provides excellent shielding effectiveness.

Custom versions of most RF cable assemblies can be built and shipped same day. Custom cable assembly lengths can be obtained by specifying the desired length on the web site at time of order or by contacting a sales representative. Other available RF cable assembly value added services include connector orientation or clocking, heat shrink booting and custom labeling. RF testing can also be performed to document the electrical performance of your cable assembly.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Velocity of Propagation		83		%
Capacitance		16.5 [54.13]		pF/ft [pF/m]

Mechanical Specifications

Cable Assembly

 Length*
 36 in [914.4 mm]

 Diameter
 0.57 in [14.48 mm]

 Weight
 0.843 lbs [382.38 g]

Cable

Cable Type
Impedance
Inner Conductor Type

MINI 59
75 Ohms
Solid

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Using 75 Ohm ET-B159-BL Blue Coax ET31249

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Usin g 75 Ohm ET38348 Blue Coax



RF Cable Assemblies Technical Data Sheet

ET31249

Inner Conductor Material and Plating

Dielectric Type

Number of Shields

Copper
PE (F)
2

Shield Layer 1
Shield Layer 2
Tinned Copper Braid
PVC, Blue
Jacket Diameter

Aluminum Tape
Tinned Copper Braid
PVC, Blue
0.159 in [4.04 mm]

One Time Minimum Bend Radius 1.5 in [38.1 mm]

Connectors

Description	Connector 1	Connector 2
Type	SMC Plug	BNC Male
Impedance	75 Ohms	75 Ohms
Contact Material and Plating	Gold	Brass, Gold
Dielectric Type	PTFE	Teflon
Body Material and Plating	Brass, Nickel	Brass, Nickel
Coupling Nut Material and Plating	Brass, Nickel	Brass, Nickel
Hex Size	3/8 in	
Torque	5 in-lbs [0.57 Nm]	

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

Values at 25°C, sea level.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Using 75 Ohm ET-B159-BL Blue Coax ET31249

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Usin g 75 Ohm ET38348 Blue Coax




RF Cable Assemblies Technical Data Sheet

ET31249

How to Order

Part Number Configuration:



ET39260/BL-12 = 12 inches long cable Example:

ET39260/BL-100cm = 100 cm long cable

75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Using 75 Ohm ET-B159-BL Blue Coax from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm SMC Plug to 75 Ohm BNC Male Cable 36 Inch Length Using 75 Ohm ET-B159-BL Blue Coax ET31249

URL: https://www.ebeestock.com/75-ohm-smc-plug-to-75-ohm-bnc-male-cable-12-inch-length-using-75 -ohm-pe-b159-bl-blue-coax-0031247

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

www.ebeestock.com

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



www.ebeestock.com