

SMA Male to N Female 4 Hole Flange Mount Adapter



RF Adapters Technical Data Sheet

ET1256

4

Configuration

- SMA Male Connector 1
- N Female Connector 2
- 50 Ohms

- Straight Body Geometry
- 4 Hole Flange Mount Method

Features

- Max VSWR of 1.4:1 up to 18 GHz
- SMA Interface compliant with MIL-STD-348A
- N Interface compliant with MIL-STD-348A
- Gold Plated Beryllium Copper Contact
- 30 µin min Gold Contact Plating

Applications

- Allows Connection Between Series
- General Purpose Test
- Rack Mounted Equipment

Description

Ebeestock's ET12564 SMA male to type N female 4 hole flange adapter is part of our full line of RF components available for same-day shipping. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. Our SMA to type N adapter has a male to female gender configuration. ET12564 SMA male to type N female adapter operates to 18 GHz. The Ebeestock RF adapter provides good VSWR of 1.4:1 maximum. This RF SMA to type N 4 hole flange adapter allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications.

RF adapters are often used to enable connections between two connector types that would otherwise not mate. Certain adapter configurations can also be used to protect connectors on expensive equipment where the number of connect/disconnect cycles is high. An RF, microwave or millimeter wave adapter is connected to the equipment, and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Ebeestock also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

ectrical Specifications			
Erequency Range	DC	18	GHz
VSWR		1.4:1	
Operating Voltage (AC)		500	Vrms
Dielectric Withstanding Voltage (AC)		1,500	Vrms

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male to N Female 4 Hole Flange Adapter ET12564



SMA Male to N Female 4 Hole Flange Mount Adapter



RF Adapters Technical Data Sheet ET12564

Performance by Frequency

Description	F1	F2	F3	F4	F5	Units
Frequency Range	DC to 3	3 to 12.4	12.4 to 18			GHz
VSWR, Max	1.05:1	1.15:1	1.4:1			

Electrical Specification Notes: Values at 25°C, sea level.

Mechanical Specifications

Size

 Length
 1.37 in [34.8 mm]

 Width
 1 in [25.4 mm]

 Weight
 0.082 lbs [37.19 g]

Description	Connector 1	Connector 2	
Type	SMA Male	N Female	
Polarity	Standard	Standard	
Interface Specification	MIL-STD-348A	MIL-STD-348A	
Hex Size	5/16 in		
Mating Torque	3 to 5 in-lbs [0.34 to 0.57 Nm]		

Material Specifications

	Connector 1		Connector 2		
Description	Material	Plating	Material	Plating	
Туре	SMA Male		N Female		
Contact	Beryllium Copper	Gold	Beryllium Copper	Gold	
		30 µin minimum		30 µin minimum	
Insulation	PTFE		PTFE		
Outer Conductor			Brass	Nickel	
				150 µin minimum	
Body	Brass	Nickel			
		150 µin minimum			
Coupling Nut	Brass	Nickel			
		150 µin minimum			

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male to N Female 4 Hole Flange Adapter ET12564

8th Floor, Building 1, Yongfu Science and Technology Center Industrial Park, Nanzha District 5, Humen,523900, Dongguan, Guangdong, China.



SMA Male to N Female 4 Hole Flange Mount Adapter



RF Adapters Technical Data Sheet ET12564

Environmental SpecificationsTemperature

Operating Range

-65 to +165 deg C

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

SMA Male to N Female 4 Hole Flange Adapter from Ebeestock Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Male to N Female 4 Hole Flange Adapter ET12564

URL: https://www.ebeestock.com/sma-male-to-n-female-4-hole-flange-mount-adapter-0012564

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Ebeestock reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Ebeestock does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Ebeestock does not assume any liability arising out of the use of any part or documentation.

ET12564 CAD Drawing
SMA Male to N Female 4 Hole Flange Adapter

